# RECEIVED-WATER SUPPLY

# MISSISSIPPI STATE DEPARTMENT OF HEALTH 28 AM 8: 54 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM

	CCR CERTIFICATION FORM CALENDAR YEAR 2012
	Public Water Supply Name
	List PWS ID #s for all Community Water Systems included in this CCR
The Con syste custo of e	Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a sumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water em, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the omers upon request. Make sure you follow the proper procedures when distributing the CCR. Since this is the first year lectronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please the kall boxes that apply.
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill)
	<ul> <li>On water bills (attach copy of bill)</li> <li>Email message (MUST Email the message to the address below)</li> <li>Other</li> </ul>
	Date(s) customers were informed:/,/
	CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
	Date Mailed/Distributed:/
	CCR was distributed by Email (MUST Email MSDH a copy)  As a URL (Provide URL  As an attachment  As text within the body of the email message
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: THE DAILY MISSISSIPPIAN
	Date Published: 6 /24 / 13
	CCR was posted in public places. (Attach list of locations)  Date Posted: / /
	CCR was posted on a publicly accessible internet site at the following address ( <b>DIRECT URL REQUIRED</b> ):
I her publ the S the	reby certify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this lic water system in the form and manner identified above and that I used distribution methods allowed by SDWA. I further certify that the information included in this CCR is true and correct and is consistent with water quality monitoring data provided to the public water system officials by the Mississippi State artment of Health, Bureau of Public Water Supply.
	ACTITLE (President, Mayor, Owner, etc.)  Date  Throw Colombia Delection PPD

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to:
<u>Melanie. Yanklowski@msdh.state.ms.us</u>

From: UNIV OF MS PHYSICAL ADMIN 6629155744 07/29/2013 11:03 #150 P.002/006

Annual Drinking Water Quality Report University of Mississippi PWS ID# 0360015 2012

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been to provide you a safe and dependable supply of drinking water.

The University of Mississippi water source is four on campus wells pumping from the Meridian-Upper Wilcox Aquifer. The Physical Plant routinely monitors our water source for constituents in your drinking water in accordance with Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st 2012.

Our source water assessment has been completed. Our 4 active wells were ranked MODERATE in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662.915.7051.

If you have any questions about this report or concerning your water utility, please contact David Adkisson at 662-915-5923, or Reid Russell at 662-915-7051. We want our valued customers to be informed about their water utility.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions.

- Action Level-The concentration of a contaminant which if exceeded, triggers treatment or other requirements which a water system must follow.
- Treatment Technique (TT)-A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.
- Maximum Contaminant Level-The "Maximum Allowed" (MCL) is the highest level of a
  contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using
  the best available treatment technology.
- Maximum Contaminant Level Goal-The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

From: UNIV OF MS PHYSICAL ADMIN

6629155744

07/29/2013 11:03

#150 P.003/006

## TEST RESULTS

Contaminant	Violation Y/N Date Collected	Level Detected	Range of Detects or # of Samples Exceeding	Unit Measurement	MCLG	MCL	Likely source of Contamination
	Consected	<u> </u>	MCL/ACL	<u> </u>	<u> </u>	L	

Microbiological Contaminants

Microbio	logical Cont	aminanu	5			Presence	Naturally present in the
Total Coliform Bacteria	N	> 1/100	0	ppm	ł ,		environment

Inorgai	110 7/01		0.0005	0	ppm	0.006	0.006	Discharge from petroleum
Antimony	N	2012	< 0.0005	O	bhun	0.000		refineries; fire retardants ;ceramics;electronics;
Arsenic	N	2012	0.00073	, 0.0005 ~ 0.00073	ppm	0.010	0,010	Erosion of natural deposits;runoff from orchards;runoff from glass and electronics production wastes
Barium	N	2012	0.06936	0.05757 - 0.06936	ppm	2	2	Discharge of drilling waste; discharge from metal refineries; erosion of natural deposits Discharge from metal
Beryllium	N	2012	< 0.0005	< 0.0005	ppm	0.004	0.004	refineries and coal-burning factories, discharge from electrical, aerospace, and defense industries
Cadmium	N	2012	< 0.0005	< 0.0005	ppm	0.0005	0.0005	Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints
Chromium	N	2012	0.00649	0.00367 - 0.00649	ppm	0.1	0.1	Discharge from steel and pulp mills; erosion of natural deposits
Copper	N	2010	0.9	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Cyanide	N	2012	< 0.015	0	ppm	0.2	0.2	Discharge from steel/met factories; discharge from plastic and fertilizer factories
Fluoride	Ņ	2012	1,136	> 0.01 - 1.136	ppm	4	AL=15	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories Corrosion of household
Lead	N	2010	0,005	0	ppb	0		plumbing systems; erosic of natural deposits Erosion of natural
Mercury	N	2012	< 0.0005	< 0.0005	ppm	0.0005	0.0005	deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland

*			
,			

#150 P.004/006 07/29/2013 11:03 6629155744 From: UNIV OF MS PHYSICAL ADMIN

Nitrate (as Nitrogen)	12	2011	1.4	1.33 – 1.4	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Nitrite(as Nitrogen)	N	2011	< 0.02	< 0.02	ppm	1	1	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Selenium	N	2012	< 0.0025	< 0.0025	ppin	0.05	0.05	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Thallium	N	2009	< 0.0005	< 0.0005	ppm	0.0005	0.0005	Leaching from ore- processing sites; discharge from electronics, glass, and drug factories

### Disinfection By-Product (There is convincing evidence that addition of disinfection is necessary for control of microbial contaminants)

Chiorine (as Cl2)	N	2012	0.25 -2.90 Range 1.0 YourWater	0	MG/L	4	4	Water additive used to control microbes
HAA5[total haloscetic]	N	2012	3.5	0	ppb	0	60	By-product of drinking water chlorination
TTHM(total trialomethanes)	N	2012	4	0	ppb	0	100	By-product of drinking water chlorination

Radiological

Radiological				
Analyte Name	Violation	Date Collected	Result	MCL
Combined Uranium	N	Q2 2012	0.067 ppb	30 ppb
Radium-226	N	2012	1.3 PCI/L	
Radium-228	N	2012	2.9 PCI/L	
Gross Alpha Particle Activity	N	2012	3.8 PCI/L	15
Combined Radium	N	2012	4.2 PCI/L	5

# \*\*\*\*\*A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the schedule deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any



From: UNIV OF MS PHYSICAL ADMIN 6629155744 07/29/2013 11:04 #150 P.005/006

questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

All sources of drinking water, even bottled water, are subject to potential contamination by substances that are natural or manmade. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water including bottled water may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorder, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791). Please call if you have questions.

#### Additional Information for Lead

If present, elevated levels of lead can cause serious problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Physical Plant is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tab for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://epa.gov/safewater/lead">http://epa.gov/safewater/lead</a>. The Mississippi State Department of Health Public Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the UNIVERSITY OF MISSISSIPPI is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 6. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 46%.

i			
	•		

From: UNIV OF MS PHYSICAL ADMIN 6629155744 07/29/2013 11:04 #150 P.006/006

We at the University of Mississippi Physical Plant work hard to provide quality water at every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.



# RECEIVED-WATER SUPPLY



2013 JUN 28 AM 8: 54

NewsWatch The Daily Mississippian Ole Miss Annual WUMS-FM 92.1 theDMonline.com

The S. Gale Denley Student Media Center 201 Bishop Hall Post Office Box 1848 University, MS 38677-1848 (662) 915-5503 Fax: (662) 915-5703

### **AFFIDAVIT OF PUBLICATION**

SCHOOL NAME:	The University of Mississippi
NEWSPAPER NAME:	The Daily Mississippian
ADVERTISER:	U/M Physical Plant Department
ORDER NUMBER:	30451
DATE AD APPEARD / INSERTS R.	AN: June 25, 2013
TOTAL NUMBER OF COLUMN IN	NCHES / WORDS: 50col. inches
TOTAL NUMBER OF INSERTS: _	N/A
	ne information above is true and correct.  d dated tearsheets to verify publication.
NAME: Melanie Wadkins	NAME: Debra Novak
SIGNATURE: While Middle	kips SIGNATURE: Dula Movak
TITLE: Advertising Mgr.	TITLE: Creative Services Mgr.
June 25, 2013 DATE:	June 25, 2013 DATE:

experience amazing · www.olemiss.edu



#### **Annual Drinking Water Quality Report** University of Mississippi PWS JD# 0360015

White very pleased to posside you wish this year's Amoud Water Quality Report. We want to keep your informed about the receilest water and zervices we have delivered to you over the past year. Our goal is and always has been to provide you said and sed objected being off of this year.

The University of Mainshigh water assumes in four or causqus wells pumping fines the Meridian-Upper Wileon Aquiffer. The Physical Plazar producing procision or what sources for constituents in your desirable, water in contract with Petersia and Steet two. This sable shows the results of our monitoring for the period of January is to December 3ist 2011. Only pours when reassumes has been congolated. Our 4 cities wells were maded MODERATE in arms of succeptibility to contaminations. If we a copy of the report phease contact our office at 603.191.5015.

If you have any specialises about the report or recenting your water utility, please consact Durish Adhisson at 662-915-5922, or Reld Resuell at 662-915-7031. We wast our valued customers so be informed about their water utility.

In this table you will find many terms and abbreviations you night not be familiar with. To help you beane understand these terms we've provided the following definitions.

· Action Level-The concentration of a contaminant which if exceeded, triggers treatment or other sequirements which a

Maximum Contaminant Level Goal-The "Goal" (MCLG) is the level of a contaminant in drinking water below which
there is no known or expected risk to health. MCLGs allow for a margin of safety.

				, <u>.</u>	EST RESU			
Conserveri	c	esakin Yeli Dese papales	(prei Detected	Range of Defacts or If of Earnples Exceeding adCLARCE	Uni Management	MOLG	MÓL.	(July source of Consumption
Microbiolo	gic	al Çon	laminante	1				
Total Coltons Bacteria		N	>1700	e	NO-	1	Protested of collection (spokeria IV EX of storistic saltspine	histopy present in the environment
norganic	Cor	lamin	ente				***********	
Memory	N	2000	40 0005	۰	ppm	•		Dacherya form petraleure referens, fina estanlaris, ceranica; electronica
Anade	N	2009	-2005	•	ppm	**	50	Enseand natural deposits, anothers exchanic smoff eart glass and plasmosa production replies
Servs.	N	2000	0.065427	۰	ppm	,	1	Partings of philosophy Sectoring but should broken to riseon, setwarder blan
Berytun	٨	2009	-0.0005	٠	D\$4°.	•	•	Courtage from metal witness; and stall during learnest, outmanys from securical secretars, and defende industries
Cazran	'n	9009	-0.0005	۰	ppb	1	3	Concern of galanced poper, source of rela- nd deposes, decrease from metal infraries, and from waste believes and servi
(Minus	N	2004	0.06603	6	the	130	100	Deuturge from parel and pulp-edite, areason of source deposes
Coppe	H	3910	59	·	1012	13	AL+13	Common of Assertati plumbing systems, property replies deposits, bearing from water properties.
Charate	N	5009	40015	0	pp.a	55	62	Deutsche bote steermere lettorer, deutsch bom plaakt und lettore lettorer
FLORN	н	2509	0.454	۰	pp.	•	1	Eroson of helical deposits, water sticking affect promotes along tests, decharge from lentilist and alumnium lactiones
L++1	N	9010	0 605	•	900	•	M+H	Contracts of household prunising systems, process of eather of deposits
Wean	N	2009	40 0006	,	age	2	t	Eventri oli neluteli deposes, decharge itori selevica: and laccores, necili horo landilla: turoli legni poppane
hitrale jas Nicogeni	N	2041	274	7so Karge	10m	H2	10	Purch iron fundası war, bacılıng iron paçacı Tanta, paragar, ironco il hatıral doğumla
Nitrida Jan Merogeriy	4	3041	40.05	No Range	904	ï	•	Autor from fertilizer use, beauting from septic ferrial seesage, brossom of executal deposits
Edwarn .	H	2009	40 0025	۰	hee	50	60	Claritarge from patroleum and metal refinance srooms of natural deposits, diecharge from Proces
Thallan	*	3004	a0 8005	•	Apt	51	2	(auting how prepressing stee, declarge how exclosive, place, and drug become

Disinfection	By-Product	
(De	e la convincios estárace that add	di.

Chiprine	1	2017	025/200		ug.		-	More affirm used to model more ter	ė
(se C2)		40/2	Range 10 Your Wester	ů			Ì		ĺ
HUAS pace Necessard	N	2012	35	۰	900	0	50	dy product of thirting maker photodrops	
YTHIR DOM Endonetheres)	N	2013	•	0	900	۰	100	By greater at diversity water chicroscon	

Analyte Name	Yickton	Date Collected	Resyl	I NCL
Contined thencom	N	G5 5015	0.067 ppb	30 ppc
Repurs-326	ħ	3012	1.3 PÇIL	1
Fladium-228	N	2912	29 PC&L	
Gross Alpha Particle Activity	N	2012	3.8 PC44	15
C. I CALL TO A LANGE BOOK			h = 5000	1

#### \*\*\*\*\* A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*

In accordance with the Rudionschides Role, all community public water supplies were required to sample quarterly for indisocution beginning lineary 2007—Docember 2007. You public water supply completed sampling by the schoolse descline; however, during an addit of the Mississips State Department of Health actionizes. The Districtionary Distriction Reports (27th Supported analyses and expositing of indisological compliance samples and results until further notice. Although this was not due restal of inaction by the public water supply, MODH as are regarded to state a vehicle. This is no exply you that as of this date, your water system has completed the monitoring registerness and is now in compliance with the Rudionardide Rud. Hy on laws any operations, places contact Naren Waltern, Director of Compliance & Enforcement, Bioscas of Public Water Supply, at 601 576 7518.

All sources of diriching water, even bottled water, are nebject to potential contamination by arbitrances that are natural or manusale. These substances can be microbes, inorpatic or expails the missia and radioscitive arbitrances. All diriching water including bottled water any radioscible ve section of centains a last small amounts of some contaminants. The presence of contaminants from not necessarily indicate that the water porce sharth intis. More information shart of contaminants and potential handle offices can be obtained by calling the Enricontanestal Protection Agency's Safe Drinking Water Hollion at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drighing water than the general population. Joynur.o. Some people may or under visicanten les obsonitants in circularige valor under tous persons who have undergone compression depression, tuels as persons with causert undergoing demonstrates; pre-prisons who have undergone organ transplants, people with IRIVATIDS or other immune system disorder, some tidenty, and infants can be puncticularly unit from infection. These people should seek a diverse about dishains year from their health cur providers. IRAVEOC guidelines can appropriate nexast so lessen the risk of infection by cryptosponitium and other microbiological contaminates are available from the Safe Deinking Water Hottine (1-800-426-4791). Evau-call if you have question.

#### Additional information for Lead

If present, clevated levels of load can cause serious problems, especially for pregnant women and young children. Lead in consider wester is primarily from materials and components associated with service fines and home planning. The Physical Plant is responsible for providing high quality detailing waters, but cannot centent the variety of materials used in planning overpooners. When your sater has been string for serveral busts, you can emissive the potential for exact aposture by flushing you table for 30 seconds 10.2 minutes before using water for detailing or cooking. If you are concerned about the string of the present of the present of the description of the present of the present

To couply with the "Regulation Governing Ploorisation of Community Water Supplier", the UNIVERSITY OF MISSISSIPY in required to report creation results potentiating to Recolidation of our water system. The number of months in the persons actional parts are watering floorist number in the personal the optimal range of 100-11 Japan was 6. The porcesting of floorist camples collected in the pervisors calendar year floar was within the optimal range of 20-11 Japan was 40-11.

We at the University of Ministrippi Physical Plant work hard to provide quality water at every tap. We ask that all our customers help or protect our water sources, which are the heart of our community, our way of life and our children's future.